

Лекция 3

16 февраля

```
%include "io.inc"

section .data
    var dd 0x1234F00D

section .bss
    cntr resd 1

section .text
global CMAIN
CMAIN:
    add [cntr], 1
    mov eax, [var]
```

```

void f() {
    int a[16];
    int i, x = 99, y = 97;           // 1
    if (x < y) {                   // 2
        a[0] = 0;                  // 3
        for (i = 1; i < 16; ++i) { // 4
            a[i] = y / i;          // 5
        }
    }
}

```

```

section .text
global f
f:
    push    ebp
    mov     ebp, esp
    sub     esp, 88
    mov     DWORD [ebp-8], 99      ; (1)
    mov     DWORD [ebp-4], 97      ; (2)
    mov     eax, DWORD [ebp-8]    ; (3)
    sub     eax, DWORD [ebp-4]    ; (4)
    jge    L5                     ; (5)
    mov     DWORD [ebp-76], 0      ; (6)
    mov     DWORD [ebp-12], 1      ; (7)

L3:
    cmp    DWORD [ebp-12], 15     ; (8)
    jg     L5                     ; (9)
    mov    ecx, DWORD [ebp-12]    ; (10)
    mov    edx, DWORD [ebp-4]     ; (11)
    mov    eax, edx               ; (12)
    sar    edx, 31                ; (13)
    idiv   ecx                   ; (14)
    mov    DWORD [ebp-76+ecx*4], eax ; (15)
    add    DWORD [ebp-12], 1       ; (16)
    jmp    L3                     ; (17)

L5:
    leave
    ret

```



